

ZHEJIANG NEW SHUNFA SEWING MACHINE TECHNOLOGY CO.,LTD.
NO.2287-1, JINGZHONG ROAD,HONGJIA STREET,JIAOJIANG DISTRICT,TAIZHOU CITY, ZHEJIANG, CHINA
Contact person::Weili Huang(Vic) Mobile: +86 13732353778 Email: sales2@shunfasew.com

FICHA TECNICA DE MAQUINAS

LOCKSTITCH MACHINE S310

* Material: iron+plastic
 * Process: assembly
 * for make different cloth,lockstitch sewing, direct drive only, single needle
 * 220V 550W single phase
 * 50/60 HZ
 SIZE: 635*255*565MM
 GROSS WEIGHT: 42KGS NET WEIGHT:38KGS
 needle size: DBX1 11-18#
 stitch length:0-5mm
 press foot height:5.5-15mm
 max speed: 200-5000 s.p.m
 hard paper carton package complete set with stand table



usage:to make cloth lockstitch attach and joint

1 needle, 2 thread

FICHA TECNICA DE MAQUINAS

LOCKSTITCH MACHINE SF0303CXD

* Material: iron+plastic
 * Process: assembly
 * for make different leather cloth,lockstitch sewing, walking foot, direct drive only
 * 220V 750W single phase
 * 50/60 HZ
 SIZE: 740*265*500MM
 GROSS WEIGHT: 42KGS NET WEIGHT:35KGS
 needle size: DPX17 14#-25#
 stitch length:0-12mm
 press foot height:6-13mm
 max speed: 200-5000 s.p.m
 hard paper carton package complete set with stand table



usage:to make cloth lockstitch leather attach and joint

1 needle, 2 thread

FICHA TECNICA DE MAQUINAS

LOCKSTITCH MACHINE SF0303CX

* Material: iron+plastic
 * Process: assembly
 * for make different leather cloth,lockstitch sewing, walking foot
 * 220V 750W single phase
 * 50/60 HZ
 SIZE: 740*265*500MM
 GROSS WEIGHT: 35KGS NET WEIGHT:30KGS
 needle size: DPX17 14#-25#
 stitch length:0-12mm
 press foot height:6-13mm
 max speed: 200-5000 s.p.m
 hard paper carton package complete set with stand table with motor








usage:to make cloth lockstitch leather attach and joint

1 needle, 2 thread

LOCKSTITCH MACHINE SF202

* Material: iron+plastic * Process: assembly * for make different leather cloth,lockstitch sewing, walking foot, direct drive only * 220V 750W single phase * 50/60 HZ SIZE: 740*265*500MM GROSS WEIGHT: 35KGS NET WEIGHT:30KGS needle size: DPX17 14#-25# stitch length:0-12mm press foot height:6-13mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table with motor	 
usage:to make cloth lockstitch leather attach and joint	1 needle, 2 thread
FICHA TECNICA DE MAQUINAS	
LOCKSTITCH MACHINE SF202D	
* Material: iron+plastic * Process: assembly * for make different leather cloth,lockstitch sewing, , direct drive only * 220V 750W single phase * 50/60 HZ SIZE: 740*265*500MM GROSS WEIGHT: 42KGS NET WEIGHT:35KGS needle size: DPX17 14#-25# stitch length:0-12mm press foot height:6-13mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table	 
usage:to make cloth lockstitch leather attach and joint	1 needle, 2 thread
FICHA TECNICA DE MAQUINAS	
ZIGZAG MACHINE SF20U93D	
* Material: iron+plastic * Process: assembly * for make different cloth,zigzag sewing, direct drive only * 220V 550W single phase * 50/60 HZ SIZE: 550x250x385MM GROSS WEIGHT: 23.5KGS NET WEIGHT:21KGS needle size: 1910-05 stitch length:0-5mm press foot height:6mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table	 
usage:to make cloth zigzag attach and joint	2 needle, 2 thread
FICHA TECNICA DE MAQUINAS	
LOCKSTITCH MACHINE A3900-3N-8D	
* Material: iron+plastic * Process: assembly * for make different cloth,lockstitch sewing, full automatic, three needle * 220V 550W single phase * 50/60 HZ SIZE: 630*755*565MM	 


SIZE: 650*250*500MM GROSS WEIGHT: 42KGS NET WEIGHT:37KGS needle size: DBX1 11-18# stitch length:0-5mm press foot height:5.5-15mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table	 
usage:to make cloth lockstitch attach and joint	three needle, 3 thread
FICHA TECNICA DE MAQUINAS	
OVERLOCK MACHINE F3-4D	
* Material: iron+plastic * Process: assembly * for make different cloth,overlock sewing, 4 thread,direct drive only * 220V 550W single phase * 50/60 HZ SIZE: 475*360*530MM GROSS WEIGHT: 34.6KGS NET WEIGHT:27.6KGS needle size: DCX27 11-14# stitch length:0-4.5mm press foot height:5.5mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table	 
usage:to make cloth overlock attach and joint	Siruba system 2 needle, 4 thread
FICHA TECNICA DE MAQUINAS	
OVERLOCK MACHINE F3-4D/EP	
* Material: iron+plastic * Process: assembly * for make different cloth,overlock sewing, 4 thread, full automatic * 220V 550W single phase * 50/60 HZ SIZE: 475*360*530MM GROSS WEIGHT: 41KGS NET WEIGHT:34KGS needle size: DCX27 11-14# stitch length:0-4.5mm press foot height:5.5mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table	 
usage:to make cloth overlock attach and joint	Siruba system 2 needle, 4 thread
FICHA TECNICA DE MAQUINAS	
INTERLOCK MACHINE H7-01CB/D	
* Material: iron+plastic * Process: assembly * for make different cloth, interlock sewing, 3 needle , 5 thread, direct drive only * 220V 550W single phase * 50/60 HZ SIZE: 640*410*640MM GROSS WEIGHT: 53KGS NET WEIGHT:45KGS needle size: UY128GAS 9-14# stitch length:0-4.4mm press foot height:5.3mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table	 

usage:to make cloth interlock attach and joint	3 needle, 5 thread	
FICHA TECNICA DE MAQUINAS		
BUTTON ATTACH MACHINE SF373D		
* Material: iron+plastic * Process: assembly * for attach button in fabric, direct drive only * 220V 550W single phase * 50/60 HZ SIZE: 580x350x485MM GROSS WEIGHT:32KGS NET WEIGHT:24KGS needle size: 1TQX1 16# stitch length:0-5mm press foot height:6.5mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table	 	
usage:to attach button on fabric	1 needle, 2 thread	
FICHA TECNICA DE MAQUINAS		
BUTTON HOLING MACHINE SF781EF		
* Material: iron+plastic * Process: assembly * for open button holing in fabric, direct drive only * 220V 550W single phase * 50/60 HZ SIZE: 600x360x470MM GROSS WEIGHT:35KGS NET WEIGHT:26KGS needle size: DPX5 13# stitch length:0-5mm press foot height:6mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table	 	
usage:to open button holing in fabric	1 needle, 2 thread	
FICHA TECNICA DE MAQUINAS		
BAG CLOSER MACHINE GK9-310		
* Material: iron+plastic * Process: assembly * for make bag closer unweaven bag function, direct drive , portable * 220V 190W single phase * 50/60 HZ SIZE: 300*230*320MM GROSS WEIGHT: 6KGS NET WEIGHT:5KGS needle size: DNX1 25# stitch length:0-6.5mm press foot height:5mm max speed: 200-5000 s.p.m hard paper carton package complete set	 	
usage:to make bag closer unweaven bag	1 needle, 1 thread	
FICHA TECNICA DE MAQUINAS		
STRAIGHT CUT MACHINE SF-3 6"		

* Material: iron+plastic * Process: assembly * for FABRIC CUTTING, 6INCH * 220V 200W single phase * 50/60 HZ SIZE: 580x340x400MM GROSS WEIGHT:20KGS NET WEIGHT:19KGS press foot height:6mm max speed: 200-5000 s.p.m hard paper carton package	
usage:to FABRIC CUTTING, 6 INCH	no needle
FICHA TECNICA DE MAQUINAS	
STRAIGHT CUT MACHINE SF-3 8"	
* Material: iron+plastic * Process: assembly * for FABRIC CUTTING, 8INCH * 220V 200W single phase * 50/60 HZ SIZE: 580x340x400MM GROSS WEIGHT:20KGS NET WEIGHT:19KGS needle size: no needle max speed: 200-5000 s.p.m hard paper carton package	
usage:to FABRIC CUTTING, 8 INCH	no needle
FICHA TECNICA DE MAQUINAS	
STRAIGHT CUT MACHINE SF-3 10"	
* Material: iron+plastic * Process: assembly * for FABRIC CUTTING, 10INCH * 220V 200W single phase * 50/60 HZ SIZE: 580x340x400MM GROSS WEIGHT:20KGS NET WEIGHT:19KGS needle size: no needle max speed: 200-5000 s.p.m hard paper carton package	
usage:to FABRIC CUTTING, 10 INCH	no needle
FICHA TECNICA DE MAQUINAS	
STRAIGHT CUT MACHINE SF-3 12"	
* Material: iron+plastic * Process: assembly * for FABRIC CUTTING, 12INCH * 220V 200W single phase * 50/60 HZ	

SIZE: 580x340x400MM GROSS WEIGHT:20KGS NET WEIGHT:19KGS needle size: no needle max speed: 200-5000 s.p.m hard paper carton package	
usage:to FABRIC CUTTING, 12 INCH	no needle
FICHA TECNICA DE MAQUINAS	
SERVO MOTOR ROUND CUT MACHINE SF-70	
* Material: iron+plastic * Process: assembly * for FABRIC CUTTING, 70 INCH * 220V 200W single phase * 50/60 HZ SIZE: 580x340x400MM GROSS WEIGHT:10KGS NET WEIGHT:8KGS needle size: no needle max speed: 500-5000 s.p.m hard paper carton package	
usage:to FABRIC CUTTING, 70 INCH	no needle
FICHA TECNICA DE MAQUINAS	
SERVO MOTOR ROUND CUT MACHINE SF-100L	
* Material: iron+plastic * Process: assembly * for FABRIC CUTTING, 100 INCH * 220V 200W single phase * 50/60 HZ SIZE: 580x340x400MM GROSS WEIGHT:12KGS NET WEIGHT:10KGS needle size: no needle max speed: 900-1500 s.p.m hard paper carton package	
usage:to FABRIC CUTTING, 100 INCH	no needle
FICHA TECNICA DE MAQUINAS	
SERVO MOTOR ROUND CUT MACHINE SF-110L	
* Material: iron+plastic * Process: assembly * for FABRIC CUTTING, 110 INCH * 220V 200W single phase * 50/60 HZ SIZE: 580x340x400MM GROSS WEIGHT:14KGS NET WEIGHT:12KGS needle size: no needle max speed: 900-1500 s.p.m hard paper carton package	

usage:to FABRIC CUTTING, 110 INCH	no needle
FICHA TECNICA DE MAQUINAS	
SERVO MOTOR ROUND CUT MACHINE SF-125L	
* Material: iron+plastic * Process: assembly * for FABRIC CUTTING, 125 INCH * 220V 200W single phase * 50/60 HZ SIZE: 580x340x400MM GROSS WEIGHT:15KGS NET WEIGHT:13KGS needle size: no needle max speed: 900-1500s.p.m hard paper carton package	
usage:to FABRIC CUTTING, 125 INCH	no needle
FICHA TECNICA DE MAQUINAS	
SERVO MOTOR ROUND CUT MACHINE SF-1C	
* Material: iron+plastic * Process: assembly * for FABRIC CUTTING * 220V 200W single phase * 50/60 HZ SIZE: 580x340x400MM GROSS WEIGHT:18KGS NET WEIGHT:16KGS needle size: no needle max speed: 200-5000 s.p.m hard paper carton package	
usage:to FABRIC CUTTING	no needle
FICHA TECNICA DE MAQUINAS	
BLIND STITCH MACHINE SF500	
* Material: iron+plastic * Process: assembly * for pants bottom hemming sewing and joint * 220V 150W single phase * 50/60 HZ SIZE: 320*250*350MM GROSS WEIGHT: 28KGS NET WEIGHT:23KGS needle size: LWX6T 11-14# stitch length:0-5mm press foot height:7mm max speed: 200-5000 s.p.m hard paper carton package complete set	
usage:pants bottom hemming sewing and joint	1 needle, 1 thread
FICHA TECNICA DE MAQUINAS	
SF4060 heat transfer machine	

* Material: iron * Process: assembly * for fabric joint * 220V 550W single phase * 50/60 HZ SIZE: 320*250*350MM GROSS WEIGHT: 40KGS NET WEIGHT:36KGS hard carton paper package complete set	
usage: joint	
FICHA TECNICA DE MAQUINAS	
LOCKSTITCH MACHINE SF0628	
* Material: iron+plastic * Process: assembly * for make different cloth,lockstitch sewing, single needle * 220V 550W single phase * 50/60 HZ SIZE: 635*255*565MM GROSS WEIGHT: 42KGS NET WEIGHT:38KGS needle size: DBX1 11-18# stitch length:0-5mm press foot height:5.5-15mm max speed: 200-5000 s.p.m hard paper carton package complete set with stand table amd motor	  浙江新顺发缝纫机科技股份有限公司 ZHEJIANG NEW SHUNFA SEWING MACHINE TECHNOLOGY CO.,LTD. 
usage:to make cloth lockstitch attach and joint	1 needle, 2 thread